

# Prevention Quality Indicator 15 (PQI 15) Asthma in Younger Adults Admission Rate

**July 2022** 

Area-Level Indicator
Type of Score: Rate

### Prepared by:

Agency for Healthcare Research and Quality

U.S. Department of Health and Human Services

qualityindicators.ahrq.gov

## **DESCRIPTION**

Hospitalizations for a principal diagnosis of asthma per 100,000 population, ages 18 to 39 years. Excludes hospitalizations with cystic fibrosis or anomalies of the respiratory system, obstetric hospitalizations, and transfers from other institutions.

[NOTE: The software provides the rate per population. However, common practice reports the measure as per 100,000 population. The user must multiply the rate obtained from the software by 100,000 to report hospitalizations per 100,000 population.]

#### **NUMERATOR**

Hospital discharges for patients ages 18 through 39 years, with a principal ICD-10-CM diagnosis code for asthma (*ACSASTD\**).

[NOTE: Obstetric discharges are not included in the PQI rate for PQI 15, though the AHRQ QI<sup>TM</sup> does not explicitly exclude obstetric cases. By definition, discharges with a principal diagnosis of asthma exclude obstetric discharges, because the principal diagnosis for an obstetric discharge would identify it as obstetric hospitalizations, and no such diagnoses are included in the set of qualifying diagnoses.]

July 2022 1 of 4

AHRQ QI™ ICD-10-CM/PCS Specification v2022 PQI 15 Asthma in Younger Adults Admission Rate qualityindicators.ahrq.gov

#### NUMERATOR EXCLUSIONS

Exclude discharges:

- with any listed ICD-10-CM diagnosis code for cystic fibrosis and anomalies of the respiratory system  $(RESPAN^*)$
- with admission source for transferred from a different hospital or other health care facility (*Appendix A*) (UB04 Admission source 2, 3)
- with a point of origin code for transfer from a hospital, skilled nursing facility (SNF) or intermediate care facility (ICF), or other healthcare facility (*Appendix A*) (UB04 Point of Origin 4, 5, 6)
- with an ungroupable DRG (DRG=999)
- with missing gender (SEX=missing), age (AGE=missing), quarter (DQTR=missing), year (YEAR=missing), principal diagnosis (DX1=missing), or county (PSTCO=missing)
- with missing MDC (MDC=missing) when user indicates that MDC is provided

For risk category definitions, see Patient Safety Indicators (PSI) Parameter Estimates, v2022.

#### Appendix A – Admission Codes for Transfers

#### **DENOMINATOR**

Population ages 18 through 39 years in metropolitan area1 or county. Discharges in the numerator are assigned to the denominator based on the metropolitan area or county of the patient residence, not the metropolitan area or county of the hospital where the discharge occurred.

1 The term "metropolitan area" (MA) was adopted by the U.S. Census in 1990 and referred collectively to metropolitan statistical areas (MSAs), consolidated metropolitan statistical areas (CMSAs) and primary metropolitan statistical areas (PMSAs). In addition, "area" could refer to either 1) FIPS county, 2) modified FIPS county, 3) 1999 OMB Metropolitan Statistical Area or 4) 2003 OMB Metropolitan Statistical Area. Micropolitan Statistical Areas are not used in the QI software.

\* See below for code list

July 2022 2 of 4

## AHRQ QI™ ICD-10-CM/PCS Specification v2022 PQI 15 Asthma in Younger Adults Admission Rate qualityindicators.ahrq.gov

# Asthma diagnosis codes: (ACSASTD)

| J4521 | Mild intermittent asthma with (acute) exacerbation   | J4552  | Severe persistent asthma with status asthmaticus |
|-------|--|--------|--|
| J4522 | Mild intermittent asthma with status asthmaticus     | J45901 | Unspecified asthma with (acute) exacerbation     |
| J4531 | Mild persistent asthma with (acute) exacerbation     | J45902 | Unspecified asthma with status asthmaticus       |
| J4532 | Mild persistent asthma with status asthmaticus       | J45990 | Exercise induced bronchospasm                    |
| J4541 | Moderate persistent asthma with (acute) exacerbation | J45991 | Cough variant asthma                             |
| J4542 | Moderate persistent asthma with status asthmaticus   | J45998 | Other asthma                                     |
| J4551 | Severe persistent asthma with (acute) exacerbation   |        |  |

July 2022 3 of 4

# Cystic fibrosis and anomalies of the respiratory system diagnosis codes: (RESPAN)

| E840   | Cystic fibrosis with pulmonary manifestations                               | Q320 | Congenital tracheomalacia                                      |
|--------|---|------|--|
| E8411  | Meconium ileus in cystic fibrosis   | Q321 | Other congenital malformations of trachea                      |
| E8419  | Cystic fibrosis with other intestinal manifestations                        | Q322 | Congenital bronchomalacia                                      |
| E848   | Cystic fibrosis with other manifestations                                   | Q323 | Congenital stenosis of bronchus                                |
| E849   | Cystic fibrosis, unspecified  | Q324 | Other congenital malformations of bronchus                     |
| J8483  | Surfactant mutations of the lung  | Q330 | Congenital cystic lung   |
| J84841 | Neuroendocrine cell hyperplasia of infancy                                  | Q331 | Accessory lobe of lung   |
| J84842 | Pulmonary interstitial glycogenosis   | Q332 | Sequestration of lung  |
| J84843 | Alveolar capillary dysplasia with vein misalignment                         | Q333 | Agenesis of lung   |
| J84848 | Other interstitial lung diseases of childhood                               | Q334 | Congenital bronchiectasis                                      |
| P270   | Wilson-Mikity syndrome  | Q335 | Ectopic tissue in lung   |
| P271   | Bronchopulmonary dysplasia originating in the perinatal period              | Q336 | Congenital hypoplasia and dysplasia of lung                    |
| P278   | Other chronic respiratory diseases originating in the perinatal period      | Q338 | Other congenital malformations of lung                         |
| P279   | Unspecified chronic respiratory disease originating in the perinatal period | Q339 | Congenital malformation of lung, unspecified                   |
| Q254   | Other congenital malformations of aorta                                     | Q340 | Anomaly of pleura  |
| Q2545  | Double aortic arch  | Q341 | Congenital cyst of mediastinum                                 |
| Q2547  | Right aortic arch   | Q348 | Other specified congenital malformations of respiratory system |
| Q2548  | Anomalous origin of subclavian artery                                       | Q349 | Congenital malformation of respiratory system, unspecified     |
| Q311   | Congenital subglottic stenosis  | Q390 | Atresia of esophagus without fistula                           |
| Q312   | Laryngeal hypoplasia  | Q391 | Atresia of esophagus with tracheo-<br>esophageal fistula       |
| Q313   | Laryngocele   | Q392 | Congenital tracheo-esophageal fistula without atresia          |
| Q315   | Congenital laryngomalacia   | Q393 | Congenital stenosis and stricture of esophagus                 |
| Q318   | Other congenital malformations of larynx                                    | Q394 | Esophageal web   |
| Q319   | Congenital malformation of larynx, unspecified                              | Q893 | Situs inversus   |

July 2022 4 of 4